JOURNAL OF ALLOYS AND COMPOUNDS VOLUMES 213/214, OCTOBER 1994

Contents

Preface xi

Committees xii

Symposium on organoactinide chemistry

Heterobimetallics from uranium or neodymium and d transition metals 1
A. Dormond, D. Baudry, M. Visseaux and P. Hepiegne (Dijon, France)

Synthesis and reactions of U(III) complexes with tripodal nitrogen and oxygen donor ligands 8
R. McDonald, Y. Sun, J. Takats (Edmonton, Alta., Canada), V.W. Day and T.A. Eberspracher (Lincoln, NB, USA)

Preparation and synthetic utility of $MCl_4(Me_2NCH_2CH_2NMe_2)_2$, where M is uranium or thorium 11
P.G. Edwards, M. Weydert, M.A. Petrie and R.A. Andersen (Berkeley, CA, USA)

Uranium complexes with amide, alkoxide and thiolate ligands 15
M. Ephritikhine (Gif sur Yvette, France)

Symposium on the chemistry and physics of the heaviest actinides and transactinides

Chemistry of the transactinide elements 20
J.V. Kratz (Mains, Germany)

Accurate determination of the first ionization potential of actinides by laser spectroscopy 28
N. Trautmann (Mainz, Germany)

Theoretical study of the physicochemical properties of the light transactinides 33
V. Pershina, B. Fricke (Kassel, Germany) and G.V. Ionova (Moscow, Russian Federation)

Properties and decay of actinide and transactinide nuclei 38
A. Sobiczewski, R. Smolańczuk and J. Skalski (Warsaw, Poland)

Applications of a global nuclear structure model to studies of the heaviest elements 43
P. Möller and J. Rayford Nix (Los Alamos, NM, USA)

Synthesis reactions and radioactive properties of transactinoid elements 50
Yu.Ts. Oganessian (Moscow, Russian Federation)

Observation of enhanced nuclear stability near the 162 neutron shell 61
R.W. Lougheed, K.J. Moody, J.F. Wild, E.K. Hulet, J.H. McQuaid (Berkeley, CA, USA), Yu.A. Lazarev, Yu.V. Lobanov, Yu.Ts. Oganessian, V.K. Utyonkov, F.Sh. Abdullin, G.V. Buklanov, B.N. Gikal, S. Iliev, A.N. Mezentsev, A.N. Polyakov, I.M. Sedykh, I.V. Shirokovsky, V.G. Subbotin, A.M. Sukhov, Yu.S. Tsyganov and V.E. Zhuchko (Dubna, Russian Federation)

Spontaneous fission 67
D.C. Hoffman (Berkeley, CA, USA)

Plans to identify heavy elements produced in reactions with cross-sections of 1 pb and below 74
S. Hofmann (Darmstadt, Germany)

Symposium on general topics

Human hair radioactivity in the Chernobyl area 81
A.A. Kist, R.I. Radyuk, L.I. Zhuk, V.P. Pikul and A.D. Belyaev (Ulughbek, Uzbekistan)

Spontaneous fission properties of ^{252,254}No and ^{256,258}[104] and the disappearance of the outer fission barrier 86
J.F. Wild, E.K. Hulet, R.W. Lougheed, K.J. Moody, B.B. Bandong, R.J. Dougan and A. Veeck (Livermore, CA, USA)

Oxidation of nuclear fuel (UO_2) by the products of water radiolysis: development of a kinetic model 93
H. Christensen (Nykoping, Sweden), S. Sunder and D.W. Shoesmith (Pinawa, Man., Canada)

Basic studies on the kinetics and mechanism of the rapid dissolution reaction of plutonium dioxide under reducing conditions in acidic media 100
X. Machuron-Mandard (Gif-sur-Yvette, France) and C. Madic (Fontenay-aux-Roses, France)

Elsevier Science S.A.

Alloying behavior in selected neptunium binary systems: the role of 5f bonding 106
J.K. Gibson, R.G. Haire, M.M. Gensini (Oak Ridge, TN, USA) and T. Ogawa (Ibaraki-ken, Japan)

Specific heat of some trans-uranium intermetallic compounds – search for heavy fermions. 111
G.R. Stewart, B. Andraka (Gainesville, FL, USA) and R.G. Haire (Oak Ridge, TN, USA)

Resonant magnetic X-ray scattering: a new probe for actinides. 114
G.H. Lander (Karlsruhe, Germany), W.G. Stirling, S. Langridge, C.C. Tang (Staffordshire, UK) and D. Gibbs (Long Island, NY, USA)

Theory of pressure effects and the correlated-electron behavior of uranium monochalcogenides 120
B.R. Cooper, Q.G. Sheng (Morgantown, WV, USA), U. Benedict and P. Link (Karlsruhe, Germany)

Thermodynamic database for actinide aqueous inorganic complexes. 125
E.I. Sergeyeva, O.A. Devina and I.L. Khodakovsky (Moscow, Russian Federation)

Symposium on high pressure–high temperature solid state studies

Calculation of phase diagrams of the actinides. 132
L. Brewer (Berkeley, CA, USA)

Electronic structure properties of neptunium intermetallics under pressure from Mössbauer spectroscopy 138
G.M. Kalvius, W. Potzel, S. Zwirner, J. Gal (Garching, Germany) and I. Nowik (Jerusalem, Israel)

Resistivity and superconductivity of americium metal under pressure up to 25 GPa. 148
P. Link, D. Braithwaite (Karlsruhe, Germany), J. Wittig (Jülich, Germany), U. Benedict (Karlsruhe, Germany) and R.G. Haire (Oak Ridge, TN, USA)

Structural and physical properties of actinide materials at high pressure 153
U. Benedict (Karlsruhe, Germany)

Analysis of recent measurements of the heat capacity of uranium dioxide 159
C. Ronchi (Karlsruhe, Germany) and G.J. Hyland (Coventry, UK)

Thermochemistry of the actinides. 169
P.D. Kleinschmidt (Los Alamos, NM, USA)

Thermodynamic properties and multiphase diffusion paths of the ternary system U–Zr–N. 173
T. Ogawa and M. Akabori (Ibaraki-ken, Japan)

Preparation of actinide compounds in the Oharai facility. 178
K. Suzuki, F. Wastin (Sendai, Japan), A. Ochiai, T. Shikama, Y. Suzuki, Y. Shiokawa, T. Mitsugashira (Ibaraki, Japan), T. Suzuki and T. Komatsubara (Sendai, Japan)

High-temperature vaporization of transplutonium oxides 185
R.G. Haire (Oak Ridge, TN, USA)

Symposium on electronic structure and spectroscopy

Electronic structure of actinocenes and actinofullerenes. 191
A.H.H. Chang, K. Zhao, W.C. Ermler and R.M. Pitzer (Columbus, OH, USA)

Theoretical studies of the structures and electronic properties of $U(NH_2)_3$ and $Np(NH_2)_3$. 196
P. Jeffrey Hay and R.L. Martin (Los Alamos, NM, USA)

Probing trivalent actinide ions in heavy metal fluoride glasses via laser excitation 199
R.T. Brundage (St. Cloud, MN, USA)

Linear and non-linear spectroscopy of tetravalent actinide ions in CeF_4. 207
G.K. Liu (Argonne, IL, USA), G. Jursich (Countryside, IL, USA), J. Huang (Eau Claire, WI, USA), J.V. Beitz and C.W. Williams (Argonne, IL, USA)

Symposium on actinides and the environment

Fate of fall-out plutonium and americium in the environment: selected examples 212
K. Bunzl and W. Kracke (Oberschleissheim, Germany)

Speciation of thorium in phosphate-containing solutions 219
B. Fourest, N. Baglan, R. Guillaumont, G. Blain and Y. Legoux (Orsay, France)

Microbial transformations of radioactive wastes and environmental restoration through bioremediation 226
A.J. Francis (Upton, NY, USA)

Symposium on structural and magnetic properties

Muon spin relaxation studies of the interplay between magnetism and superconductivity in heavy fermion systems 232
R.H. Heffner (Los Alamos, NM, USA)

Density functional theory of spin and orbital magnetization densities in actinide magnets 238
M.S.S. Brooks (Karlsruhe, Germany), T. Gasche, O. Eriksson, L. Severin and B. Johansson (Uppsala, Sweden)

Magnetic anisotropy and transport properties of actinide intermetallics 243
L. Havela, V. Sechovský (Prague, Czech Republic), H. Nakotte, E. Brück and F.R. De Boer (Amsterdam, Netherlands)

Magnetic studies of transuranium compounds 248
O. Vogt and K. Mattenberger (Zürich, Switzerland)

The first 30 years of research on the physical properties of α-U. 254
E.S. Fisher (Minnetonka, MN, USA)

Structure and phase transformations in uranium metal 262
J.D. Axe (Upton, NY, USA), G. Grübel (Grenoble, France) and G.H. Lander (Karlsruhe, Germany)

Crystallographic phase transitions in actinide metals as a function of pressure 268
O. Eriksson (Uppsala, Sweden), J.M. Wills (Los Alamos, NM, USA), P. Söderlind, J. Melsen, R. Ahuja (Uppsala, Sweden), A.M. Boring (Los Alamos, NM, USA) and B. Johansson (Uppsala, Sweden)

Adjustment of activity coefficients as a function of changes in temperature, using the specific interaction theory . . . 278
E. Giffaut, P. Vitorge and H. Capdevila (Fontenay-aux-Roses, France)

Kinetically and thermodynamically stable isomers of thorium chelates of polyaza polycarboxylic macrocycles 286
V. Jacques and J.F. Desreux (Liège, Belgium)

Symposium on solution chemistry: coordination and thermodynamics

New methods of transplutonium element separation and determination 290
B.F. Myasoedov (Moscow, Russian Federation)

Actinide phosphonate complexes in aqueous solutions. 300
K.L. Nash (Argonne, IL, USA)

Crown ethers as actinide extractants in acidic aqueous biphasic systems: partitioning behavior in solution and crystallographic analyses of the solid state. 305
R.D. Rogers, C.B. Bauer and A.H. Bond (DeKalb, IL, USA)

Luminescence study on determination of the hydration number of Cm(III) 313
T. Kimura and G.R. Choppin (Tallahassee, FL, USA)

Biochemistry of the actinides. 318
D.R. Williams (Cardiff, UK)

Voltammetric study on the transfer of U, Np, and Pu ions at the aqueous–organic interface facilitated by phosphine oxides 324
Z. Yoshida, H. Aoyagi, Y. Meguro, Y. Kitatsuji (Ibaraki, Japan) and S. Kihara (Kyoto, Japan)

Characterization of the nitrate complexes of Pu(IV) using absorption spectroscopy, ^{15}N NMR, and EXAFS 328
D. Kirk Veirs, C.A. Smith, J.M. Berg, B.D. Zwick, S. Frederic Marsh, P. Allen and S.D. Conradson (Los Alamos, NM, USA)

A study of the carbonate complexation of Cm^{III} and Eu^{III} by time-resolved laser fluorescence spectroscopy. 333
J.I. Kim, R. Klenze (Karlsruhe, Germany), H. Wimmer, W. Runde (Garching, Germany) and W. Hauser (Karlsruhe, Germany)

Panel Discussion

Trends in actinide processing at Hanford 341
H.D. Harmon (Richland, WA, USA)

Poster presentations

Organo-f-element thermochemistry 344
J. Goffart, X. Jemine (Liège, Belgium), F. Wastin and J. Fuger (Karlsruhe, Germany)

Extraction of americium and lanthanides with tributylphosphate from water-deficient nitrate media 347
T. Mitsugashira, M. Kamoshida, Y. Suzuki and I. Satoh (Ibaraki-ken, Japan)

Radiation damage of UO_2 implanted with 100 MeV iodine ions 351
K. Hayashi, H. Kikuchi and K. Fukuda (Ibaraki-ken, Japan)

Reductive extraction behaviour of actinide and lanthanide elements in molten salt and liquid metal binary phase systems 354
H. Moriyama (Osaka, Japan), T. Seshimo, K. Moritani, Y. Ito (Kyoto, Japan) and T. Mitsugashira (Sendai, Japan)

Separation of plutonium and americium by low-temperature fluorination 360
T.R. Mills and L.W. Reese (Los Alamos, NM, USA)

Twinning as a clue to a CDW-like behavior and to a lack of SME in plutonium metal 363
T.A. Sandenaw (Los Alamos, NM, USA)

Reactions between U–Zr alloys and nitrogen 366
M. Akabori, A. Itoh, T. Ogawa and M. Ugajin (Ibaraki-ken, Japan)

Experimental investigations on the chemical state of solid fission-product elements in U_3Si_2 369
M. Ugajin and A. Itoh (Ibaraki-ken, Japan)

Investigation of the Pu–U phase diagram 372
Y. Okamoto, A. Maeda, Y. Suzuki and T. Ohmichi (Ibaraki-ken, Japan)

Phase relations of the uranium–neptunium–oxygen system 375
T. Yamashita, N. Nitani, K. Ohuchi, T. Muromura (Ibaraki, Japan), T. Tsuji, H. Inagaki and T. Kato (Nagoya, Japan)

Electrical conductivity and defect structure of lanthanum-doped $(U,Pu)O_{2\pm x}$ 378
T. Tsuji, K. Naito (Nagoya, Japan), T. Yamashita (Ibaraki, Japan) and T. Fujino (Sendai, Japan)

Effect of pressure on the magnetic phase transitions of UNiGa 381
Y. Uwatoko, G. Oomi (Kumamoto, Japan), V. Sechovsky, L. Havela (Prague, Czech Republic), E. Brück and F.R. de Boer (Amsterdam, Netherlands)

Effect of pressure on the Curie temperature of single-crystal UGe_2 383
K. Nishimura, G. Oomi (Kumamoto, Japan), S.W. Yun and Y. Ōnuki (Ibaraki, Japan)

Effect of pressure on the electrical resistivity of URu_2Si_2 387
T. Kagayama, G. Oomi, K. Iki (Kumamoto, Japan), N. Mōri (Tokyo, Japan), Y. Ōnuki (Ibaraki, Japan) and T. Komatsubara (Sendai, Japan)

Modeling the high pressure behavior of the actinide monopnictides and monochalcogenides 391
M.M. Gensini (Karlsruhe, Germany)

Phase behavior of actinide trihalides under pressure 394
J.R. Peterson (Knoxville, TN, USA)

The electrical resistance of PuSb under high pressure 398
P. Link, U. Benedict (Karlsruhe, Germany), J. Wittig (Jülich, Germany), H. Wühl, J. Rebizant and J.C. Spirlet (Karlsruhe, Germany)

Investigation of the neptunium–zirconium system by X-ray diffraction 402
M.M. Gensini, R.G. Haire and J.K. Gibson (Oak Ridge, TN, USA)

Actinide and rare earth incorporation into zirconolite 406
E.R. Vance, C.J. Ball, R.A. Day, K.L. Smith, M.G. Blackford, B.D. Begg and P.J. Angel (Menai, NSW, Australia)

New muffin tin orbital band calculations of equilibrium properties and electronic structure of actinide metals 410
M. Pénicaud (Villeneuve St. Georges, France)

Mass yield and angular distribution of rare earth elements produced in proton-induced fission of ^{244}Pu 414
K. Tsukada, N. Shinohara, Y. Nagame, S. Ichikawa, M. Magara, M. Hoshi (Ibaraki, Japan), K. Sueki, M. Tanikawa, I. Nishinaka, T. Kobayashi, H. Nakahara (Hachioji-city, Tokyo, Japan) and T. Ohtsuki (Sendai-city, Miyagi, Japan)

Fragment mass and kinetic energy distributions from fission of light actinides 417
I. Nishinaka, M. Tanikawa, S. Miyamoto, K. Sueki, H. Nakahara (Tokyo, Japan), K. Tsukada, M. Magara, Y. Nagame, H. Ikezoe (Ibaraki, Japan) and T. Ohtsuki (Sendai, Japan)

Measurement of kinetic energies of Cs isotopes produced in $^{16}O + ^{209}Bi$ nuclear fission by differential range method 420
K. Sueki, I. Nishinaka, H. Nakahara, M. Tanikawa (Tokyo, Japan) and K. Tsukada (Ibaraki, Japan)

Bimodal nature of actinide fission 423
T. Ohtsuki (Sendai, Japan), Y. Nagame, H. Ikezoe, K. Tsukada (Ibaraki, Japan), H. Nakahara and I. Nishinaka (Tokyo, Japan)

Atomic thermal vibrations of the light actinide elements 426
A.C. Lawson, J.A. Goldstone, B. Cort, R.I. Sheldon and E.M. Foltyn (Los Alamos, NM, USA)

Thermochromatographic studies of heavy actinides in metal columns 429
S. Hübener (Dresden, Germany), B. Eichler (Villigen, Switzerland), M. Schädel, W. Brüchle (Darmstadt, Germany), K.E. Gregorich and D.C. Hoffman (Berkeley, CA, USA)

The α-decay of ^{236}Pu to ^{232}U. 433
G. Ardisson, J.M. Bosschot (Nice, France), M. Hussonnois, J.F. Le Du, D. Trubert (Orsay, France) and C.M. Lederer (Berkeley, CA, USA)

Simultaneous counting of α, β and γ rays with phoswich detectors 437
S. Usuda, H. Abe and A. Mihara (Ibaraki-ken, Japan)

The role of unstable NH_3 in the formation of nitrogen-rich α-U_2N_{3+x} by the reaction of UC or U with NH_3 440
M. Katsura, M. Hirota and M. Miyake (Osaka, Japan)

Preparation of nitrogen-rich α-uranium sesquinitride 444
M. Miyake, M. Hirota, S. Matsuyama and M. Katsura (Osaka, Japan)

Preparation of UH_3 by the reaction of U with NH_3 or with a mixture of H_2 and N_2 447
M. Hirota, M. Katsura, H. Takahashi and M. Miyake (Osaka, Japan)

Electrolytic decontamination of conductive materials 450
G.M. Campbell, T.O. Nelson, J.L. Parker (Los Alamos, NM, USA), R.H. Getty, T.R. Hergert, K.A. Lindahl and L.G. Peppers (Golden, CO, USA)

Spent fuel reprocessing based on electrochemical extraction process (SREEP) 453
Z. Yoshida, H. Aoyagi, H. Mutoh, H. Takeishi, Y. Sasaki, S. Uno and E. Tachikawa (Ibaraki, Japan)

On the valence state of americium in $(U_{0.5}Am_{0.5})O_{2-x}$. 456
K. Mayer (Geel, Belgium), B. Kanellakopoulos, J. Naegele and L. Koch (Karlsruhe, Germany)

Production of heavy actinides in incomplete fusion reactions 460
N.V. Antonenko (Tomsk, Russian Federation), E.A. Cherepanov (Dubna, Russian Federation), A.S. Iljinov and M.V. Mebel (Moscow, Russian Federation)

Electrodeposition of selected alpha-emitting nuclides from ammonium acetate electrolyte 465
S.C. Lee (Carlsbad, NM, USA), J.G. Choi and V.F. Hodge (Las Vegas, NV, USA)

Hydrogen absorption properties of U–Th–Ti–Zr alloys. 467
T. Yamamoto, H. Kayano, H. Suwarno and M. Yamawaki (Ibaraki, Japan)

Optical spectroscopic studies of uranyl chloride UO_2Cl_2. 471
J.C. Krupa, E. Simoni (Orsay, France), J. Sytsma and N. Edelstein (Berkeley, CA, USA)

Effects of cellulosic degradation products on uranium sorption in the geosphere 475
G.M.N. Baston, J.A. Berry, K.A. Bond, K.A. Boult, M. Brownsword and C.M. Linklater (Didcot, Oxon, UK)

Thermal lens spectroscopy of plutonium using a laser diode and fiber optics 481
D.A. Wruck, R.E. Russo and R.J. Silva (Livermore, CA, USA)

The measurement of incorporated radioactive actinides in the body by direct methods. 484
J.L. Genicot (Mol, Belgium)

Giant striction and thermal expansion anomalies in actinide systems with structural instabilities. 486
A.Z. Solontsov (Moscow, Russian Federation)

Electronic structure of excited configurations in uranium 489
S. Imoto (Fukui, Japan)

Anion-dependent electron paramagnetic resonance of uranium(V) intermediates in photo- and electrolytic reductions of uranyl complexes in organic solution 493
C. Miyake and Y. Sano (Osaka, Japan)

Low temperature absorption spectra and ground state electronic structure of tetrakis(2,6-di-tert-butylphenoxide)-uranium(IV) 497
J.M. Berg (Los Alamos, NM, USA)

Surface reactions and bulk diffusion of U overlayers on Pd 500
T. Gouder (Karlsruhe, Germany) and C.A. Colmenares (Livermore, CA, USA)

X-ray photoelectron spectra of SIMFUEL 503
S. Sunder, N.H. Miller, W.H. Hocking (Pinawa, Man., Canada) and P.G. Lucuta (Chalk River, Ont., Canada)

Magnetic structure of the uranium–copper double perovskite UBa_2CuO_6 506
P. Leporcher (Rennes, France), G. André, T. Roisnel (Gif sur Yvette, France), T. Le Bihan and H. Noël (Rennes, France)

Influence of off-stoichiometry on the properties of the heavy fermion superconductors UNi_2Al_3 and UPd_2Al_3 509
C. Schank, F. Jährling, A. Grauel, R. Borth, R. Helfrich, T. Lühmann, P.H.P. Reinders, C. Geibel and F. Steglich (Darmstadt, Germany)

Structure and magnetic properties of $U_2Co_{15}Ge_2$ and related compounds 513
Y. Shiokawa, M. Hara (Ibaraki-ken, Japan), Y. Haga (Sendai, Japan), R. Amano (Kanazawa, Japan) and M. Takahashi (Sendai, Japan)

Oxidation states of U and Ti in U–Ti–O ternary mixed oxides 516
C. Miyake, D. Sugiyama, M. Mizuno and K. Taniguchi (Osaka, Japan)

Microscopic investigations of the $ThMn_{12}$-type uranium ternaries 520
L. Kępiński, W. Suski and K. Wochowski (Wrocław, Poland)

DEHP complexes of lanthanides(III) and actinides(III) 523
D.N. Suglobov, Yu.I. Trifonov, E.K. Legin and A.G. Tutov (St. Petersburg, Russian Federation)

Magnetic and crystallographic structures in UTX intermetallic compounds 528
R.A. Robinson, A.C. Lawson (Los Alamos, NM, USA), V. Sechovsky, L. Havela (Prague, Czech Republic), Y. Kergadallan (Karlsruhe, Germany), H. Nakotte and F.R. De Boer (Amsterdam, Netherlands)

Crystal structure of hydride and deuteride of UNiAl 533
T. Yamamoto, H. Kayano and M. Yamawaki (Ibaraki, Japan)

Magnetic phases in UNiGe 536
V. Sechovsky, L. Havela (Prague, Czech Republic), A. Purwanto, A.C. Larson, R.A. Robinson (Los Alamos, NM, USA), K. Prokes, H. Nakotte, E. Brück, F.R. de Boer (Amsterdam, Netherlands), P. Svoboda, H. Maletta and M. Winkelmann (Berlin, Germany)

Synthesis and characterization of novel ternary uranium germanides with niobium and tantalum 540
T. Le Bihan, H. Noël (Rennes, France) and P. Rogl (Wien, Austria)

Diluent paraffin nature and plutonium(IV) organic solution lamination: new results and new approach 545
Ed.V. Renard (Moscow, Russian Federation), V.A. Ivanchenko (Novosibirsk, Russian Federation), A.A. Chizhov and N.V. Neumojev (Moscow, Russian Federation)

Electrochemical studies of SIMFUEL 551
D.W. Shoesmith, W.H. Hocking, S. Sunder, J.S. Betteridge and N.H. Miller (Pinawa, Man., Canada)

Adsorption of actinides on cement compounds 554
C. Altenhein-Haese, H. Bischoff, L. Fu, J. Mao and G. Marx (Berlin, Germany)

Radiochemical methods for the determination of plutonium, americium and curium in typical waste streams 557
J.L. Gascón, M.L. Aceña, J.A. Suárez and M. Rodríguez (Madrid, Spain)

Estimation of neutron radiation damage from actinide decay and fission in the Hanford waste tanks 560
R.T. Perry (Los Alamos, NM, USA)

Author Index 563

Subject Index 565

The publisher encourages the submission of articles in electronic form thus saving time and avoiding rekeying errors. A leaflet describing our requirements is available from the publisher upon request.